MAEN

GRAND TONNEAU JUMP HOUR

USER GUIDE

WELCOME

THE GRAND TONNEAU JUMP HOUR

A two-piece tonneau case inspired by the barrel-shaped watches of the early 1900s, with polished lugs that sit above the dial. The hour jumps precisely at the turn of the hour; hours and minutes are shown on two rotating discs.

Inside beats our in-house modified automatic jump hour movement, decorated and visible through the display caseback. This guide covers what you need to wear, set and look after your watch.

YOUR WATCH 03

WINDING & SETTING 04

WATER RESISTANCE & CARE 05

TECHNICAL SPECIFICATIONS 06

WARRANTY & SERVICE 07

AT A GLANCE

YOUR WATCH

1	**Lugs** · polished, above the dial
2	**Jumping hour** · rotating disc
3	**Tonneau case** · two-piece, steel
4	**Minutes** · rotating disc
5	**Integrated FKM strap** · micro adjustment
6	**Dial** · vertically brushed
7	**Crown** · winding, time



WINDING & SETTING



0 · WINDING

Worn daily, the watch winds itself. If it has stopped, turn the crown clockwise at least 25 times.

1 · TIME

Pull the crown out to the first notch and turn it to move the minutes disc. As the minutes pass 00, the hour jumps to the next one.

Push the crown back to 0 after setting – only then is the watch water resistant.

USING YOUR WATCH

WATER RESISTANCE & CARE

WATER RESISTANCE · 5 ATM

Rain, splashes, hand washing and a swim in shallow water are fine; the watch is not made for diving. Push the crown in before the watch meets water and never operate it under water. Avoid hot showers, saunas and steam.

CARE

Clean the case with a soft cloth, or with fresh water and a soft brush. Keep the watch away from perfume, chemicals and strong magnets – magnets can make it run fast.

STRAP

The custom FKM rubber strap is integrated into the case and follows its contours, with a micro adjustment for a precise fit. It closes with a 316L steel butterfly clasp with perlage finishing.

TECHNICAL SPECIFICATIONS

DIAMETER	34 mm, excluding crown
THICKNESS	9.7 mm
LUG TO LUG	45 mm
CASE	Two-piece tonneau, 316L stainless steel
CRYSTAL	Sapphire
CASEBACK	Display back, decorated movement and custom rotor
WATER RES.	5 ATM (50 m)

MOVEMENT	In-house modified automatic jump hour (ST1721)
FUNCTIONS	Jumping hour and minutes on two rotating discs
TESTING	Two weeks in-house before assembly
DIAL	Anthracite Black, Copper, Midnight Blue or Steel, vertically brushed
FINISH	PVD coated (Anthracite Black, Copper, Midnight Blue)
STRAP	Integrated FKM rubber, micro adjustment, 316L butterfly clasp with perlage

MAEN SERVICE

WARRANTY & SERVICE

WARRANTY

Two years from the date of delivery, on manufacturing defects of the movement, case and crystal. The warranty stays with the watch: a next owner is covered for the rest of the term, as long as we have the original order number.

NOT COVERED

Knocks and drops, water or fire damage, magnetisation, normal wear, and repairs or modifications we haven't approved.

SERVICE

As long as the watch runs well, it needs no service; a full service is typically due every 5–8 years. Request every repair through the service form on maenwatches.com. Under warranty, we cover insured shipping both ways, and a repair never shortens the warranty.

QUESTIONS

support@maenwatches.com – we aim to reply within two business days.

MAEN

MAENWATCHES.COM

© MAEN WATCHES · STOCKHOLM