MAEN

GREENWICH 38 GMT

USER GUIDE

WELCOME

THE GREENWICH 38 GMT

Our travel watch: a 38 mm case based on the Hudson, with a two-step bezel in brushed and polished steel, an oversized screw-down crown and an enamel dial with a 24-hour scale for a second time zone.

Inside beats the SwissTech S24-045, a Swiss Made self-winding GMT movement. This guide covers what you need to wear, set and look after your watch.

YOUR WATCH 03

WINDING & SETTING 04

WATER RESISTANCE & CARE 05

TECHNICAL SPECIFICATIONS 06

WARRANTY & SERVICE 07

AT A GLANCE


YOUR WATCH

1	Two-step bezel · brushed and polished
2	Hour hand · luminous
3	Indices · applied, luminous
4	Seconds hand · stops for setting
5	24-hour scale
6	Integrated rubber strap
7	Minute hand · luminous
8	Crown · screw-down
9	Date window
10	GMT hand · one turn in 24 h
11	Enamel dial



WINDING & SETTING





After setting, push the crown to 1 and screw it down clockwise. Never unscrew it under water.

0 · SCREWED DOWN

The normal position. Only screwed down is the watch water resistant to 10 ATM.

1 · WINDING

Unscrew the crown. If the watch has stopped, turn it clockwise at least 25 times.

2 · DATE & GMT

Pull to the first notch. Counter-clockwise sets the date, clockwise the GMT hand. Avoid setting the date between 21:00 and 03:00.

3 · TIME

Pull to the second notch; the seconds hand stops. Turn either way. If the date changes as the hands pass 12, it is midnight.

USING YOUR WATCH

WATER RESISTANCE & CARE

WATER RESISTANCE · 10 ATM

Suitable for swimming and snorkelling, not for diving. Screw the crown down before the watch meets water and never operate it under water. Avoid hot showers, saunas and steam, and rinse the watch in fresh water after the sea or the pool.

CARE

With the crown screwed down, clean the case with a soft cloth, or with fresh water and a soft brush. Keep the watch away from perfume, chemicals and strong magnets – magnets can make it run fast.

SECOND TIME ZONE

The GMT hand turns once in 24 hours: set it to a second time zone and read it on the 24-hour scale of the dial.

STRAP

The custom rubber strap is integrated into the case and tapers from 20 mm to 16 mm.

TECHNICAL SPECIFICATIONS

DIAMETER	38 mm
THICKNESS	12 mm with crystal and caseback
LUG TO LUG	46 mm
CASE	316L steel, two-step brushed and polished bezel
CRYSTAL	Double-domed sapphire
CROWN	Screw-down
WATER RES.	10 ATM (100 m)

MOVEMENT	SwissTech S24-045, self-winding GMT, Swiss Made
FUNCTIONS	Hours, minutes, central seconds, GMT hand, date
DIAL	Enamel, 24-hour GMT scale
LUME	X1 Super-LumiNova, applied indices
STRAP	Integrated rubber, 20 to 16 mm

MAEN SERVICE

WARRANTY & SERVICE

WARRANTY

Two years from the date of delivery, on manufacturing defects of the movement, case and crystal. The warranty stays with the watch: a next owner is covered for the rest of the term, as long as we have the original order number.

NOT COVERED

Knocks and drops, water or fire damage, magnetisation, normal wear, and repairs or modifications we haven't approved.

SERVICE

As long as the watch runs well, it needs no service; a full service is typically due every 5–8 years. Request every repair through the service form on maenwatches.com. Under warranty, we cover insured shipping both ways, and a repair never shortens the warranty.

QUESTIONS

support@maenwatches.com – we aim to reply within two business days.

MAEN

MAENWATCHES.COM

© MAEN WATCHES · STOCKHOLM