MAEN

HUDSON 38 MK4

USER GUIDE

WELCOME

THE HUDSON 38 MK4

Born from our love of vintage watches: a dive watch with many faces, as much at home in the office as on the water. The fourth generation brought a redesigned case, a more solid screw-down crown and 30 ATM water resistance.

Inside beats the Sellita SW200, a Swiss Made self-winding movement. This guide covers what you need to wear, set and look after your watch.

YOUR WATCH 03

WINDING & SETTING 04

WATER RESISTANCE & CARE 05

TECHNICAL SPECIFICATIONS 06

WARRANTY & SERVICE 07

AT A GLANCE

YOUR WATCH

1	Rotating bezel · 60-minute scale
2	Hour hand · luminous
3	Indices · luminous
4	Seconds hand · stops for setting
5	Steel bracelet · 20 → 16 mm
6	Minute hand · luminous
7	Crown · screw-down
8	Date window



WINDING & SETTING



After setting, push the crown to 1 and screw it down clockwise. Never unscrew it under water.

0 · SCREWED DOWN

The normal position. Only screwed down is the watch water resistant to 30 ATM.

1 · WINDING

Unscrew the crown. If the watch has stopped, turn it clockwise at least 25 times.

2 · DATE

Pull to the first notch and turn counter-clockwise. Avoid setting the date between 21:00 and 03:00.

3 · TIME

Pull to the second notch; the seconds hand stops. Turn either way. If the date changes as the hands pass 12, it is midnight.

WATER RESISTANCE & CARE

WATER RESISTANCE · 30 ATM

Suitable for swimming, snorkelling and recreational diving. Screw the crown down before the watch meets water and never operate it under water. Avoid hot showers, saunas and steam, and rinse the watch in fresh water after the sea or the pool.

CARE

With the crown screwed down, clean the case with a soft cloth, or with fresh water and a soft brush. Keep the watch away from perfume, chemicals and strong magnets – magnets can make it run fast.

TIMING BEZEL

Turn the bezel to put the marker at 12 over the minute hand; the bezel then shows the minutes that have passed.

BRACELET

The steel bracelet tapers from 20 mm to 16 mm. Every link is held by a screw – size it with a small precision screwdriver, or let a jeweller do it.

TECHNICAL SPECIFICATIONS

DIAMETER	38 mm
THICKNESS	10.5 mm; 12.05 mm with crystal
LUG TO LUG	46 mm
CASE	316L stainless steel
CRYSTAL	Double-domed sapphire
CROWN	Screw-down
WATER RES.	30 ATM (300 m)

MOVEMENT	Sellita SW200, self-winding, Swiss Made
FUNCTIONS	Hours, minutes, central seconds, date
LUME	C1 X1 Super-LumiNova
BRACELET	Stainless steel, 20 to 16 mm

WARRANTY & SERVICE

WARRANTY

Two years from the date of delivery, on manufacturing defects of the movement, case and crystal. The warranty stays with the watch: a next owner is covered for the rest of the term, as long as we have the original order number.

NOT COVERED

Knocks and drops, water or fire damage, magnetisation, normal wear, and repairs or modifications we haven't approved.

SERVICE

As long as the watch runs well, it needs no service; a full service is typically due every 5–8 years. Request every repair through the service form on maenwatches.com. Under warranty, we cover insured shipping both ways, and a repair never shortens the warranty.

QUESTIONS

support@maenwatches.com – we aim to reply within two business days.

MAEN

MAENWATCHES.COM

© MAEN WATCHES · STOCKHOLM