MAEN

MANHATTAN 37 ULTRA-THIN

USER GUIDE

WELCOME

THE MANHATTAN 37 ULTRA-THIN

Our modern take on the landmark integrated-bracelet watches of the 1970s, now in an ultra-thin 7.1 mm steel case, with a hammered dial and small seconds at 6 o'clock.

Inside beats the La Joux-Perret D100, a Swiss Made hand-wound movement. This guide covers what you need to wear, set and look after your watch.

YOUR WATCH 03

WINDING & SETTING 04

WATER RESISTANCE & CARE 05

TECHNICAL SPECIFICATIONS 06

WARRANTY & SERVICE 07

AT A GLANCE

YOUR WATCH

1	Octagonal bezel · elongated
2	Hour hand · luminous
3	Applied indices · luminous
4	Small seconds · at 6 o'clock
5	Integrated bracelet · 20 → 16 mm
6	Minute hand · luminous
7	Crown · winding, time
8	Hammered dial



USING YOUR WATCH

WINDING & SETTING



0 · WINDING

The watch is hand-wound, so it doesn't wind itself on the wrist. Wind it every day: turn the crown clockwise until you feel resistance – only then is it fully wound – and never force it beyond that point. Fully wound, it runs for around 50 hours.

1 · TIME

Pull the crown out to the first notch and turn it either way to set the hours and minutes.

Push the crown back to 0 after setting – only then is the watch water resistant.

WATER RESISTANCE & CARE

WATER RESISTANCE · 10 ATM

Suitable for swimming and snorkelling, not for diving. Push the crown in before the watch meets water and never operate it under water. Avoid hot showers, saunas and steam, and rinse the watch in fresh water after the sea or the pool.

CARE

Clean the case and bracelet with a soft cloth, or with fresh water and a soft brush. Keep the watch away from perfume, chemicals and strong magnets – magnets can make it run fast.

BRACELET

The integrated steel bracelet tapers from 20 mm to 16 mm and is fixed to the case with four screws into the caseback. Every link is held by a screw, so you can size it with a small precision screwdriver – or let a jeweller do it. Remove links evenly on both sides of the clasp.

Half links are available at maenwatches.com.

RUBBER STRAP

The watch is also available on an integrated FKM rubber strap that sits flush with the case, with a perlage butterfly clasp.

TECHNICAL SPECIFICATIONS

DIAMETER	37 mm
THICKNESS	7.1 mm
LUG TO LUG	47.4 mm
CASE	316L stainless steel
CRYSTAL	Sapphire, anti-reflective
CASEBACK	Display back, sapphire crystal
WATER RES.	10 ATM (100 m)

MOVEMENT	La Joux-Perret D100, hand-wound, Swiss Made
FREQUENCY	21,600 vph (3 Hz)
POWER RES.	~50 hours
JEWELS	18
FUNCTIONS	Hours, minutes, small seconds at 6 o'clock
DIAL	Hammered, C1 X1 Super-LumiNova
BRACELET	Integrated 316L steel, 20 to 16 mm, butterfly clasp

MAEN SERVICE

WARRANTY & SERVICE

WARRANTY

Two years from the date of delivery, on manufacturing defects of the movement, case and crystal. The warranty stays with the watch: a next owner is covered for the rest of the term, as long as we have the original order number.

NOT COVERED

Knocks and drops, water or fire damage, magnetisation, normal wear, and repairs or modifications we haven't approved.

SERVICE

As long as the watch runs well, it needs no service; a full service is typically due every 5–8 years. Request every repair through the service form on maenwatches.com. Under warranty, we cover insured shipping both ways, and a repair never shortens the warranty.

QUESTIONS

support@maenwatches.com – we aim to reply within two business days.

MAEN

MAENWATCHES.COM

© MAEN WATCHES · STOCKHOLM