MAEN

MANHATTAN 39 ULTRA-THIN

USER GUIDE

WELCOME

THE MANHATTAN 39 ULTRA-THIN

The big brother of the Manhattan 37 and our modern take on the landmark integrated-bracelet watches of the 1970s: a 39 mm steel case just 6.9 mm thin, a vertically elongated octagonal bezel and a Côtes de Genève dial.

Inside beats the La Joux-Perret D101, a Swiss Made hand-wound movement showing hours and minutes. This guide covers what you need to wear, set and look after your watch.

YOUR WATCH 03

WINDING & SETTING 04

WATER RESISTANCE & CARE 05

TECHNICAL SPECIFICATIONS 06

WARRANTY & SERVICE 07

AT A GLANCE

YOUR WATCH

1	Octagonal bezel · elongated
2	Hour hand · luminous
3	Applied indices · luminous
4	Integrated bracelet · gradual taper
5	Minute hand · luminous
6	Crown · winding, time
7	Côtes de Genève dial · vertical



WINDING & SETTING



0 · WINDING

The watch is hand-wound, so it doesn't wind itself on the wrist. Wind it every day: turn the crown clockwise until you feel resistance – only then is it fully wound – and never force it beyond that point.

1 · TIME

Pull the crown out to the first notch and turn it either way to set the hours and minutes.

Push the crown back to 0 after setting – only then is the watch water resistant.

USING YOUR WATCH

WATER RESISTANCE & CARE

WATER RESISTANCE · 10 ATM

Suitable for swimming and snorkelling, not for diving. Push the crown in before the watch meets water and never operate it under water. Avoid hot showers, saunas and steam, and rinse the watch in fresh water after the sea or the pool.

CARE

Clean the case and bracelet with a soft cloth, or with fresh water and a soft brush. Keep the watch away from perfume, chemicals and strong magnets – magnets can make it run fast.

BRACELET

The integrated steel bracelet has a gradual taper and is fixed to the case with four screws into the caseback. Every link is held by a screw, so you can size it with a small precision screwdriver – or let a jeweller do it. Remove links evenly on both sides of the hidden deployant clasp.

Half links are available at maenwatches.com.

TECHNICAL SPECIFICATIONS

DIAMETER	39 mm
THICKNESS	6.9 mm
LUG TO LUG	47.8 mm
CASE	316L stainless steel
CRYSTAL	Sapphire, anti-reflective
CASEBACK	Open display back, sapphire crystal
WATER RES.	10 ATM (100 m)

MOVEMENT	La Joux-Perret D101, hand-wound, Swiss Made
FUNCTIONS	Hours and minutes
FINISHING	Blued screws, Côtes de Genève
DIAL	Vertical Côtes de Genève, C1 X1 Super-LumiNova
INDICES	Applied, polished
BRACELET	Integrated 316L steel, gradual taper, hidden deployant clasp

MAEN SERVICE

WARRANTY & SERVICE

WARRANTY

Two years from the date of delivery, on manufacturing defects of the movement, case and crystal. The warranty stays with the watch: a next owner is covered for the rest of the term, as long as we have the original order number.

NOT COVERED

Knocks and drops, water or fire damage, magnetisation, normal wear, and repairs or modifications we haven't approved.

SERVICE

As long as the watch runs well, it needs no service; a full service is typically due every 5–8 years. Request every repair through the service form on maenwatches.com. Under warranty, we cover insured shipping both ways, and a repair never shortens the warranty.

QUESTIONS

support@maenwatches.com – we aim to reply within two business days.

MAEN

MAENWATCHES.COM

© MAEN WATCHES · STOCKHOLM